

PRODUCT SPECS

Virtual Tape Library with Deduplication



Virtual Tape Library (VTL) with Deduplication Storage Appliance

Manage explosive data growth while reducing the cost of local storage, operations, & disaster recovery

The FalconStor® VTL with Deduplication solution replaces or enhances tape backup with disk-based backup and integrated deduplication. By combining interfaces for NAS and VTL while increasing performance, it can reduce capacity requirements, minimize costs, allow you to retain more data online longer while securing data at rest, in flight, and from unwanted user access. Available as scalable, preconfigured turnkey appliances, the FalconStor VTL with Deduplication solution offers fast, reliable local backup and restore, as well as remote disaster recovery (DR) for data assurance. With features such as simplified, centralized management, WAN-optimized cascaded replication, and seamless tape integration, these appliances help you to meet stringent service-level agreements (SLA) while enabling data growth management and cost containment.



Highlights

GLOBAL DEDUPLICATION


- Up to 95% data reduction
- Minimizes costs: power, cooling, floor space, IT resources
- Extends local disk retention for fast data recovery
- Flexible policies: Inline, post-process, Turbo, or no deduplication

WAN-OPTIMIZED CASCADED REPLICATION

- Simultaneous & parallel cascaded replication maximizes data availability
- Shrinks network requirements by up to 95%
- Eliminates tape transport
- Enables tape consolidation at disaster recovery (DR) site
- Supports Fibre Channel (FC) for high-performance DR
- Optimized multi-threaded architecture for increased scalability & resilience

BEST-OF-BREED TAPE MANAGEMENT

- Bridges disk & tape for physical tape creation
- Policy-based to meet retention & archive requirements



CLOUD SUPPORT

- Utilize the cloud for archive purposes
- Migrate virtual tapes to the cloud via Amazon S3 capability

12TB TO 192TB USABLE CAPACITY

- Protects up to 3.84PB of original data*
- RAID protection and hot spares with integrity checks assures data access
- Easily deployable storage expansion upgrades
- All-inclusive capacity-based pricing
- 16GB & 10GbE
- Accelerates data protection operations, reducing backup windows
- Boosts recovery performance without backup or process changes

INTEGRATED SECURITY

- Control how long a user account stays active
- Prevent unwanted access with password lockouts
- Require complex passwords for the highest level of security

256-BIT AES ENCRYPTION

- Secures data in flight and at rest*
- Enhances corporate security through tape encryption & shredding

EMULATES OVER 50 TAPE LIBRARIES & 30 TAPE DRIVE FORMATS

- Seamless integration, no backup or process changes
- Dynamic resource allocation: 128 virtual libraries,
- 1,024 virtual drives, 250,000 virtual tapes

MIXED ENVIRONMENTS

- Enhances deduplication efficiency
- Open systems (Microsoft Windows, UNIX, Linux)
- Single deduplication repository supports any combination of backups, archives, database dumps, virtual environments
- IBM System i (iSeries), NDMP

VERITAS OPENSTORAGE (OST) INTEGRATION

- Support NAS or virtual tape library as the disk storage
- Transparent data replication, including A.I.R.
- Copy-to-tape
- Catalog consistency
- Accelerator and Optimized Synthetic Backup.

PHYSICAL CHARACTERISTICS	VTLSAP16	V TLSAM16	XM612	MM128
Appliance type	Storage		Storage expansion	Memory expansion (for VTLSAP16 only)
Form factor	2U (Typical)		2U (Typical)	16G RDIMM x 8
Hot-plug hard drives	14 = 2 OS + 12 data		12	--
RAID level	1 = OS & 6 = data		6	--
Disk type	NL SAS		NL SAS	--
Repository capacity: usable	12TB		12TB	--
Logical storage capacity*	240TB		240TB	--
Repository scalability: 12TB base, expandable w/ 12TB trays	Up to 64TB; add 180TB w/ 15 x 12TB expansion arrays (total 192TB) & 2 x 128G (XM228) memory expansions	Up to 192TB; add 180TB w/ 15 x 12TB expansion arrays (no memory expansion required)	--	--
Sustained ingest speed*	10TB/hr (Note: Over 5TB/hr requires an additional FC host bus adapter [HBA])		--	--
HOST CONNECTIONS				
Ethernet support - 1Gb/s	4 ports		--	--
Ethernet support - 10Gb/s	2 ports		--	--
FC support	Included		--	--
8Gb FC ports	2 ports		--	--
Symantec OST (FC, IP)	Included		--	--
ADVANCED FEATURES				
VTLs/drives/cartridges	128/1,024/250,000		--	--
ACSLs shared library	Included		--	--
IBM System i (iSeries), IBM 3494	Included		--	--
Additional features	Email alerts, import/export, NDMP backup, WAN-optimized replication w/ encryption & compression, Secure Tape, tape caching, tape duplication, tape shredding, tape stacking		--	--

*Please contact FalconStor before enabling encryption at rest technology. All capacity and performance numbers are based on a 20:1 deduplication ratio.

Information in this document is provided "AS IS" without warranty of any kind, and is subject to change without notice by FalconStor, which assumes no responsibility for any errors or claims herein. Copyright © 2019 FalconStor Software. All rights reserved. FalconStor Software and FalconStor are registered trademarks or trademarks of FalconStor Software, Inc. in the United States and other countries. All other company and product names contained herein are or may be trademarks of the respective holder. VTLSA10012019

FALCONSTOR®

Corporate Headquarters
 701 Brazos Street, Suite 400
 Austin, TX 78701
 Tel: +1.631.777.5188
 salesinfo@falconstor.com

Europe Headquarters
 Rosa-Bavarese-Strasse 3
 80639 München, Germany
 Tel: +49 (0) 89.41615321.10
 salesemea@falconstor.com

Asia Headquarters
 Room 1901, PICC Office Tower
 No. 2 Jian Guo Men Wai Avenue
 Chaoyang District Beijing 100020 China
 Tel: +86.10.6530.9505
 salesasia@falconstor.com